



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/805,152	03/19/2004	Derek A. Seeber	650265.00005	8622
26710	7590	12/23/2005	EXAMINER	
QUARLES & BRADY LLP 411 E. WISCONSIN AVENUE SUITE 2040 MILWAUKEE, WI 53202-4497			SHRIVASTAV, BRIJ B	
			ART UNIT	PAPER NUMBER
			2859	

DATE MAILED: 12/23/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/805,152

Applicant(s)

SEEBER, DEREK A.

Examiner

Brij B. Shrivastav

Art Unit

2859

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on 07 November 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 11 and 21-23 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 11 and 21-23 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Applicant's amendment dated November 7, 2005 has been received and entered. Applicant has canceled claims 1-10, 12-20 and 24-27. The pending claims in the application are 11, 21, 22 and 23.
2. Examiner disagrees with the applicant's remarks stating that Ishihara does not teach deducting temperature rises by monitoring phase information (see column 5 and 6, lines 42-57 and 1-63; column 13, lines 11-29). Further, Examiner disagrees with applicant's remarks that Ishihara fails to teach extracting tissue temperature by detecting saturation of spins using narrowband saturating RF waveform at a resonant frequency of protons at temperatures at safety threshold (see figures 2, 4, 5, 6 and 11-14).
3. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 11, 21 22 and 23 are rejected under 35 U.S.C. 102(b) as being anticipated by Ishihara (US 5,916,161).

As regards to claims 11 and 21, Ishihara teaches a high field MRI system and method for operating the system, including a polarizing magnet sized to receive at least a portion of a patient (figures 1 and 2, numeral 10), and RF transmitter electronics for stimulating the patient tissue in the polarizing magnetic field to acquire NMR signals (figure 1, numerals 17, 19, 27). Further, the system is having electronics to extract tissue temperature data from at least some of the NMR signals (figures 1, 2; numerals 21, 22, 26), and to extract tissue image data from at least some of the NMR signals for producing an NMR image (figures 1 and 2, numerals 18, 19, 28; columns 2 and 3, lines 1-25 and 29-68); and repeating collection of NMR signals for the production of an MRI image only while the tissue temperature measurements are below a safety threshold (figure 2, columns 1 and 4,, lines 23-39 and 13-56, column 13, lines 1-30).

As regards to claim 22, Ishihara teaches a local coil, including an antenna array coupling to a region of interest in a patient; the antenna is connected to a signal processing circuitry of an MRI machine (figure 1, numeral 1, 19, 20 and 28\). Further, Ishihara teaches a local oscillator producing a narrow band radiofrequency signal

saturating tissue protons only when the tissue has reached a safety temperature limit (figure 1 and 2, numeral 17; column 4, lines 13-56).


As regards to claim 23, Ishihara further teaches a local oscillator turned on/off with respect to the MNI machine (Figure 1, numerals 16, 23 and 27).

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Brij B. Shrivastav whose telephone number is 571-272-2250. The examiner can normally be reached on 7 AM to 4 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego F. F. Gutierrez can be reached on 571-272-2245. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

December 19, 2005


Brij B. Shrivastav
BRIJ SHRIVASTAV
PRIMARY EXAMINER